

Biodegradable Multiphase Systems Based on Plasticized Starch: A Review

- ¹ Narayan R., Drivers for biodegradable/compostable plastics and role of composting in waste management and sustainable agriculture; report paper, *Orbit J.*, 1 (1) , (2001) 1–9.
- ² Steinbuechel A. *Biopolymers, General Aspects and Special Applications*, Wiley-VCH, Weinheim, Germany, 2003, p. 516.
- ³ Avella M., Bonadies E., Martuscelli E., European current standardization for plastic packaging recoverable through composting and biodegradation, *Polym. Test.*, 20 (2001) 517–521.
- ⁴ Fritz J., Link U., Braun R., Environmental impacts of biobased/biodegradable packaging, *Starch*, 53 (2001) 105–109.
- ⁵ Karlsson R. R., Albertsson A.-C., Biodegradable polymers and environmental interaction, *Polym. Eng. Sci.*, 38 (8) , (1998) 1251–1253.
- ⁶ Kaplan D. J., Mayer J. M., Ball D., McMassie J., Allen A. L., Stenhouse P. Fundamentals of biodegradable polymers, *Biodegradable Polymers and Packaging*, Ching C., Kaplan D. L., Thomas E. L. Technomic publication, Basel, 1993, pp. 1–42.
- ⁷ Van de Velde K., Kiekens P., Biopolymers: overview of several properties and consequences on their applications, *Polym. Test.*, 21 (2002) 433–442.
- ⁸ Rouilly A., Rigal L., Agro-materials: a bibliographic review, *J. Macromol. Sci.-Part C. Polym. Rev.*, C42 (4) , (2002) 441–479.
- ⁹ Chandra R., Rustgi R., Biodegradable polymers, *Prog. Polym. Sci.*, 23 (1998) 1273–1335.
- ¹⁰ Kaplan D. L. *Biopolymers from Renewable Resources*, Springer Verlag, Berlin, 1998, p. 414.
- ¹¹ Sotergard A., Stolt M., Properties of lactic acid based polymers and their correlation with composition, *Prog. Polym. Sci.*, 27 (2002) 1123–1163.
- ¹² Okada M., Chemical syntheses of biodegradable polymers, *Prog. Polym. Sci.*, 27 (2002) 87–133.
- ¹³ Albertsson A.-C., Varma I. K., Aliphatic polyesters: synthesis, properties and applications, *Adv. Polym. Sci.*, 157 (2002) 1–40.
- ¹⁴ Lunt J., Large-scale production, properties and commercial applications of polylactic acid polymers, *Polym. Deg. Stab.*, 59 (1998) 145–152.
- ¹⁵ Sinclair R. G., The case for polylactic acid as a commodity packaging plastic, *J. Macromol. Sci. Pure Appl. Chem.*, 33 (5) , (1996) 585–597.
- ¹⁶ Vert M., Schwach G., Coudane J., Present and future of PLA polymers, *J. Macromol. Sci. Pure Appl. Chem.*, A32 (1995) 787–796.
- ¹⁷ Bigg D. M., Effect of copolymer ratio on the crystallinity and properties of polylactic acid copolymers, Annual Technical Conference—Society of Plastic Engineers, 1996, 22028–2039.
- ¹⁸ Steinbuechel A., Doi Y. *Biopolymers, Polyesters III—Applications and Commercial Products*, Wiley-VCH, Weinheim, Germany, 2002, p. 398.
- ¹⁹ Perego G., Cella G. D., Bastioli C., Effect of molecular weight and crystallinity on poly(lactic acid) mechanical properties, *J. Appl. Polym. Sci.*, 59 (1996) 37–43.
- ²⁰ Cartier L., Okihara T., Ikada Y., Tsuji H., Puiggali J., Lotz B., Epitaxial crystallization and crystalline polymorphism of polylactides, *Polymer*, 41 (2000) 8909–8919.
- ²¹ Martin O., Avérous L., Poly(lactic acid): plasticization and properties of biodegradable multiphase systems,

Polymer, 42 (14) , (2001) 6237–6247.

²² Labrecque L. V., Kumar R. A., Davé V., Gross R. A., McCarthy S. P., Citrate esters as plasticizers for poly(lactic acid), *J. Appl. Polym. Sci.*, 66 (1997) 1507–1513.

²³ Jacobsen S., Fritz H. G., Plasticizing polylactide—the effect of different plasticizers on the mechanical properties, *Polym. Eng. Sci.*, 39 (7) , (1999) 1303–1310.

²⁴ Van Tuil R., Fowler P., Lawther M., Weber C. J. Properties of biobased packaging materials, *Biobased Packaging Materials for the Food Industry: Status and Perspectives*, Weber C. J. Publisher: KVL, Frederiksberg, Denmark, 2000, p. 136.

²⁵ Lehermeier H. J., Dorgan J. R., Way J. D., Gas permeation properties of poly(lactic acid), *J. Membr. Sci.*, 4922 (2001) 1–9.

²⁶ McCarthy S. P., Advances in properties and biodegradability of cocontinuous, immiscible, biodegradable, polymer blends, *Macromol. Symp.*, 144 (1999) 63–72.

²⁷ Bastioli C., Biodegradable materials—present situation and future perspectives, *Macromol. Symp.*, 135 (1998) 193–204.

²⁸ Tuominen J., Kylmä J., Kapanen A., Venelampi O., Itävaara M., Seppälä J., Biodegradation of lactic acid based polymers under controlled composting conditions and evaluation of the ecotoxicological impact, *Biomacromolecules*, 3 (3) , (2002) 445–455.

²⁹ Holmes P. A. Biologically produced (*R*)-3-hydroxyalkanoate polymers and copolymers, *Developments in crystalline polymers*, Basset C. D. Elsevier, New York, 1988, 2 pp. 1–65.

³⁰ Bastioli C., Properties and applications of Mater-Bi starch-based materials, *Polym. Deg. Stab.*, 59 (1998) 263–272.

³¹ El-Hadi A., Schnabel R., Straube E., Müller G., Henning S., Correlation between degree of crystallinity, morphology, glass temperature, mechanical properties and biodegradation of poly(3-hydroxyalkanoate) PHAs and their blends, *Polym. Test.*, 21 (2002) 665–674.

³² Amass W., Amass A., Tighe B., A review of biodegradable polymers: uses, current developments in the synthesis and characterization of biodegradable polyesters, blends of biodegradable polymers and recent advances in biodegradation studies, *Polym. Int.*, 47 (1998) 89–144.

³³ Shogren R. L., Water vapor permeability of biodegradable polymers, *J. Environ. Polym. Deg.*, 5 (2) , (1997) 91–95.

³⁴ Kotnis M. A., O'Brien G. S., Willett J. L., Processing and mechanical properties of biodegradable poly(hydroxybutyrate-co-valerate)/starch compositions, *J. Environ. Polym. Deg.*, 3 (2) , (1995) 97–103.

³⁵ Shogren R. L., Poly(ethylene oxide)-coated granular starch-poly(hydroxybutyrate-co-hydroxyvalerate) composite materials, *J. Environ. Polym. Deg.*, 3 (2) , (1995) 75–80.

³⁶ Ramkumar D. H.S., Bhattacharia M., Steady shear and dynamic properties of biodegradable polyesters, *Polym. Eng. Sci.*, 39 (9) , (1998) 1426–1435.

³⁷ Parikh M., Gross R. A., McCarthy S. P., The influence of injection molding conditions on biodegradable polymers, *J. Injection Molding Techno.*, 2 (1) , (1998) 30–36.

³⁸ Chiellini E., Solaro R., Biodegradable polymeric materials, *Adv. Mater.*, 8 (4) , (1996) 305–313.

³⁹ Bastioli C., Cerutti A., Guanella I., Romano G. C., Tosin M., Physical state and biodegradation behavior of starch–polycaprolactone systems, *J. Environ. Polym. Deg.*, 3 (2) , (1995) 81–95.

⁴⁰ Avérous L., Moro L., Dole P., Fringant C., Properties of thermoplastics blends: starch–polycaprolactone, *Polymer*, 41 (11) , (2000) 4157–4167.

- ⁴¹ Koenig M. F., Huang S. J., Evaluation of crosslinked poly(caprolactone) as a biodegradable, hydrophobic coating, *Polym. Deg. Stab.*, **45** (1994) 139–144.
- ⁴² Tokiwa Y., Suzuki T., Hydrolysis of polyesters by lipases, *Nature (Lond.)*, **270** (5632) , (1977) 76–78.
- ⁴³ Grigat E., Koch R., Timmermann R., BAK 1095 and BAK 2195: completely biodegradable synthetic thermoplastics, *Polym. Deg. Stab.*, **59** (1998) 223–226.
- ⁴⁴ Fritz J. *Ecotoxicity of Biogenic Materials During and After Their Biodegradation*, University of Agriculture, Vienna, Austria, 1999. Ph.D. Thesis.
- ⁴⁵ Bruns C., Gottschall R., De Wilde B., Ecotoxicological trials with BAK 1095 according to DIN V 54900, *Orbit J.*, **1** (1) , (2001) 1–10.
- ⁴⁶ Lee S.-R., Park H.-M., Lim H., Kang T., Li X., Cho W.-J., Ha C.-S., Microstructure, tensile properties, and biodegradability of aliphatic polyester/clay nanocomposites, *Polymer*, **43** (2002) 2495–2500.
- ⁴⁷ Muller R. J., Witt U., Rantze E., Deckwer W. D., Architecture of biodegradable copolyesters containing aromatic constituents, *Polym. Deg. Stab.*, **59** (1998) 203–208.
- ⁴⁸ Yokota Y., Marechal H., Processability of biodegradable poly(butylene) succinate and its derivatives. A case study, Biopolymer Conference, Wurzburg, Germany, Feb., 24, 1999,
- ⁴⁹ Fujimaki T., Processability and properties of aliphatic polyesters 'Bionolle', synthesized by polycondensation reaction, *Polym. Deg. Stab.*, **59** (1998) 209–214.
- ⁵⁰ Ratto J. A., Stenhouse P. J., Auerbach M., Mitchell J., Farrell R., Processing, performance and biodegradability of a thermoplastic aliphatic polyester/starch system, *Polymer*, **40** (1999) 6777–6788.
- ⁵¹ Witt U., Einig T., Yamamoto M., Kleeberg I., Deckwer W. D., Muller R. J., Biodegradation of aliphatic–aromatic copolyesters: evaluation of the final biodegradability and ecotoxicological impact of degradation intermediates, *Chemosphere*, **44** (2) , (2001) 289–299.
- ⁵² Dufresne A., Vignon M. R., Improvement of starch film performances using cellulose microfibrils, *Macromolecules*, **31** (1998) 2693–2396.
- ⁵³ Dufresne A., Dupeyre D., Vignon M. R., Cellulose microfibrils from potato tuber cells: processing and characterization of starch–cellulose microfibril composites, *J. Appl. Polym. Sci.*, **76** (2000) 2080–2092.
- ⁵⁴ Pouteau C., Dole P., Cathala B., Avérous L., Boquillon N., Antioxidant properties of lignin in polypropylene, *Polym. Deg. Stab.*, **81** (1) , (2003) 9–18.
- ⁵⁵ French D. Organization of starch granules, *Starch: Chemistry and Technology*, Whistler R. L., Bemiller J. N., Paschall E. F. Academic Press, London, 1984, pp. 183–247.
- ⁵⁶ Zobel H. F., Molecules to granules: a comprehensive starch review, *Starch/Stärke*, **40** (2) , (1988) 44–50.
- ⁵⁷ Gallant D. J., Bouchet B., Ultrastructure of maize starch granules: a review, *Food Microstruct.*, **5** (1986) 141–155.
- ⁵⁸ Griffin G. L., Biodegradable fillers in thermoplastics, *Adv. Chem. Res.*, **134** (1973) 159–162.
- ⁵⁹ Lacourse N., Altieri P., Biodegradable Packaging Material and the Method of Preparation Thereof Patent US 4,863,655 1989
- ⁶⁰ Russell P. L., Gelatinisation of starches of different amylose/amylopectin content. A study of differential scanning calorimetry, *J. Cereal. Sci.*, **6** (1988) 133–145.
- ⁶¹ Shogren R. L., Effect of moisture content on the melting and subsequent physical aging of corn starch, *Carbohydr. Polym.*, **19** (1992) 83–90.

- ⁶² Poutanen K., Forssell P., Modification of starch properties with plasticizers, *TRIP*, 4 (4) , (1996) 128–132.
- ⁶³ Mathew A. P., Dufresne A., Plasticised waxy maize starch: effect of polyols and relative humidity on material properties, *Biomacromolecules*, 3 (5) , (2002) 1101–1108.
- ⁶⁴ De Bock I., L. Bahr K.-H., Starch-Based Materials Patent EP 609 983 1994
- ⁶⁵ Shogren R. L., Swansom C. L., Thompson A. R., Extrudates of cornstarch with urea and glycols: structure/mechanical property relations, *Starch*, 44 (9) , (1992) 335–338.
- ⁶⁶ Shogren R. L. Effect of moisture and various plasticizers on the mechanical properties of extruded starch, *Biodegradable Polymers and Packaging*, Ching C., Kaplan D. L., Thomas E. L. Technomic Publication, Basel, 1993, pp. 141–150.
- ⁶⁷ Stein T. M., Greene R. V., Amino acids as plasticizers for starch-based plastics, *Starch*, 49 (6) , (1997) 245–249.
- ⁶⁸ Dobler B., Tomka I., Stepto R., F.T. Process for Making Destructurized Starch Patent EP 282 451 1988
- ⁶⁹ Tomka I., Thoma M., Stepto R., F.T. Shaped Articles Made from Pre-processed Starch Patent EP 304 401 1989
- ⁷⁰ Stepto R. F.T., Tomka I., Injection molding of natural hydrophilic polymers in the presence of water, *Chimia*, 41 (3) , (1987) 76–81.
- ⁷¹ Bastioli C., Lombi R., Del Tredici G., Guanella I., A Method for the Preparation of Destructured-Starch-Based Compositions Produced Thereby Patent EP 400 531 1990
- ⁷² Avérous L., Fauconnier N., Moro L., Fringant C., Blends of thermoplastic starch and polyesteramide: processing and properties, *J. Appl. Polym. Sci.*, 76 (7) , (2000) 1117–1128.
- ⁷³ McMaster T. J., Senouci A., Smith A. C., Measurement of rheological and ultrasonic properties of food and synthetic polymer melts, *Rheol. Acta*, 26 (1987) 308–315.
- ⁷⁴ Parker R., Ollett A. L., Smith A. C. Starch melt rheology: measurements, modelling and application to extrusion processing, *Processing and quality of foods*, Zeuthen P. Elsevier, London, 1990, pp. 1290–1295.
- ⁷⁵ Parker R., Ollett A. L., Lai-Fook R. A., Smith A. C. The rheology of food melts and its application to extrusion processing, *Rheology of Food, Pharmaceutical and Biological Materials*, Carter R. E. Elsevier, London, 1990, pp. 53–69.
- ⁷⁶ Padmanabhan M., Bhattacharya M., Flow behavior and exit pressures of corn meal under high-shear-high-temperature extrusion conditions using a slit die, *J. Rheol.*, 35 (1991) 315–343.
- ⁷⁷ Martin O., Avérous L., Della Valle G., Inline determination of plasticized wheat starch viscous behaviour: impact of processing, *Carbohydr. Polym.*, 53 (2) , (2003) 169–182.
- ⁷⁸ Davidson V. J., Paton D., Diosady L. L., Degradation of wheat starch in a single screw extruder: characteristics of extruded starch polymers, *J. Food Sci.*, 45 (1984) 453–458.
- ⁷⁹ Davidson V. J., Paton D., Diosady L. L., Rubin L. T., A model for mechanical degradation of wheat starch in a single screw extruder, *J. Food Sci.*, 49 (1984) 1154–1169.
- ⁸⁰ Colonna P., Tayeb J., Mercier C. Extrusion-cooking of starch and starchy products, *Extrusion-Cooking*, Mercier C., Linko P., Harper J. M. AACC: St. Paul, 1989, pp. 247–320.
- ⁸¹ Barrès C., Vergnes B., Tayeb J., Della Valle G., Transformation of wheat flour by extrusion cooking: influence of screw configuration and operating conditions, *Cereal Chem.*, 67 (1990) 427–433.
- ⁸² Zheng X. Z., Wang S. W., Shear induced starch conversion during extrusion, *J. Food Sci.*, 59 (5) , (1994)

1137–1143.

⁸³ Lai L. S., Kokini J. L., The effect of extrusion operating conditions on the on-line apparent viscosity of 98% amylopectin (Amioca) and 70% amylose (Hylon) corn starches during extrusion, *J. Rheol.*, **34** (8) , (1990) 1245–1266.

⁸⁴ Della Valle G., Boché Y., Colonna P., Vergnes B., The extrusion behaviour of potato starch, *Carbohydr. Polym.*, **28** (1995) 255–264.

⁸⁵ Della Valle G., Colonna P., Patria A., Vergnes B., Influence of amylose content on the viscous behavior of low hydrated molten starches, *J. Rheol.*, **40** (3) , (1996) 347–362.

⁸⁶ Baud B., Colonna P., Della Valle G., Roger P. Macromolecular degradation of extruded starches measured by HPSEC-MALLS, *Biopolymer Science: Food and non Food Applications*, Colonna P., Guillbert S. INRA Editions, Paris, 1999, pp. 217–221.

⁸⁷ Sagar A. D., Merill E. W., Starch fragmentation during extrusion processing, *Polymer*, **36** (9) , (1995) 1883–1886.

⁸⁸ Martin O., Avérous L., Della Valle G., Couturier Y., On-line viscometry of molten plasticized wheat starch, Polymer Processing Symposia. PPS-2000, Zlin, Czech, August, 16–18, 2000, 2000, 217–218.

⁸⁹ Senouci A., Smith A. C., An experimental study of food melt rheology. I. Shear viscosity using a slit die and a capillary rheometer, *Rheol. Acta*, **27** (1988) 546–554.

⁹⁰ Senouci A., Smith A. C., An experimental study of food melt rheology. II. End pressure effects, *Rheol. Acta*, **27** (1988) 649–655.

⁹¹ Bastioli C., Bellotti V., Rallis A., Microstructure and melt flow behavior of a starch-based polymer, *Rheol. Acta*, **33** (1994) 307–316.

⁹² Bindzus W., Fayard G., Van Legerich B., Meuser F., Application of an in-line viscometer to determine the shear stress of plasticized wheat starch, *Starch*, **54** (2002) 243–251.

⁹³ Bindzus W., Fayard G., Van Legerich B., Meuser F. D., Description of extrudate characteristics in relation to the shear stress of elasticised starches determined in line, *Starch*, **54** (2002) 252–259.

⁹⁴ Vergnes B., Villemaire J. P., Rheological behaviour of low moisture maize starch, *Rheol. Acta*, **26** (1987) 570–576.

⁹⁵ Vergnes B., Villemaire J. P., Colonna P., Tayeb J., Interrelationships between thermomechanical treatment and macromolecular degradation of maize starch in a novel rheometer with preshearing, *J. Cereal Sci.*, **5** (1987) 189–202.

⁹⁶ Della Valle G., Buléon A., Carreau P. J., Lavoie P.-A., Vergnes B., Relationship between structure and viscoelastic behavior of plasticized starch, *J. Rheol.*, **42** (3) , (1998) 507–525.

⁹⁷ Van Soest J. J.G., Hulleman S. H.D., De Wit D., Vliegenthart J. F.G., Crystallinity in starch bioplastics, *Ind. Crops Prod.*, **5** (1996) 11–22.

⁹⁸ Van Soest J. J.G. *Starch Plastics Structure–Property Relationships*, Utrecht University (Netherland), P&L Press, Wageningen, 1996. Ph.D. Thesis.

⁹⁹ Hulleman S. H.D., Janssen F. H.P., Feil H., The role of water during plasticization of native starches, *Polymer*, **39** (10) , (1998) 2043–2048.

¹⁰⁰ Lourdin D., Coignard L., Bizot H., Colonna P., Influence of equilibrium relative humidity and plasticizer concentration on the water content and glass transition of starch materials, *Polymer*, **38** (21) , (1997) 5401–5406.

¹⁰¹ Lourdin D., Bizot H., Colonna P., Correlation between static mechanical properties of starch–glycerol

materials and low temperature relaxation, *Macromol. Symp.*, 114 (1997) 179–185.

¹⁰² Lourdin D., Bizot H., Colonna P., Antiplasticization in starch–glycerol films?, *J. Appl. Polym. Sci.*, 63 (1997) 1047–1053.

¹⁰³ Van Soest J. J.G., Knooren N., Influence of glycerol and water content on the structure and properties of extruded starch plastic sheets during aging, *J. Appl. Polym. Sci.*, 64 (1997) 1411–1422.

¹⁰⁴ Smits A. The Molecular organisation in starch based products, *The Influence of Polyols Used as Plasticizers*, Utrecht University (Netherland), P&L Press, Wageningen, 2001. Ph.D. Thesis.

¹⁰⁵ Lourdin D., Colonna P., Brownsey G.J., Noel T. R., Ring S. G., Structural relaxation and physical aging of starchy materials, *Carbohydr. Res.*, 337 (2002) 827–833.

¹⁰⁶ Gaudin S., Lourdin D., Le Botlan D., Forsell P., Ilari J. L., Colonna P., Effect of polymer–plasticizer interactions on the oxygen permeability of starch–sorbitol–water films, *Macromol. Symp.*, 138 (1999) 245–248.

¹⁰⁷ Gaudin S., Lourdin D., Forsell P., Colonna P., Antiplasticisation and oxygen permeability of starch–sorbitol films, *Carbohydr. Polym.*, 43 (2000) 33–37.

¹⁰⁸ Mullen J. W., Pacsu E., Starch studies: preparation and properties of starch triesters, *Ind. Eng. Chem.*, (1942) 1209–1217.

¹⁰⁹ Mullen J. W., Pacsu E., Starch studies: possible industrial utilization of starch esters, *Ind. Eng. Chem.*, (1943) 381–384.

¹¹⁰ Fringant C., Desbrières J., Rinaudo M., Physical properties of acetylated starch-based materials: relation with their molecular characteristics, *Polymer*, 37 (13) , (1996) 2663–2673.

¹¹¹ Avérous L., Moro L., Fringant C., Properties of plasticized starch acetates, ICBT Conference, Coimbra, Portugal, Sept., 28–30, 1999,

¹¹² Utracki L. A. *Polymer Alloys and Blends: Thermodynamics and Rheology*, Hanser New York, 1989, p. 244.

¹¹³ Shonaike G. O., Simon G. P. *Polymer Blends and Alloys*, Marcel Decker Inc., New York, 1999, p. 745.

¹¹⁴ Tomka I., Biodegradable Polymer Blend Composition Patent EP 596 437 1994

¹¹⁵ Lörcks J., Properties and applications of compostable starch-based plastic material, *J. Polym. Deg. Stab.*, 59 (1998) 245–249.

¹¹⁶ St-Pierre N., Favis B. D., Ramsay B. A., Verhoogt H., Processing and characterization of thermoplastic starch/polyethylene blends, *Polymer*, 38 (3) , (1997) 647–655.

¹¹⁷ George E. R., Sullivan T. M., Park E. H., Thermoplastic starch blends with a poly(ethylene-co-vinyl alcohol): processability and physical properties, *Polym. Eng. Sci.*, 34 (1) , (1994) 17–23.

¹¹⁸ Arvanitoyannis I. S., Totally and partially biodegradable polymer blends based on natural and synthetic macromolecules: preparation, physical properties, and potential as food packaging materials, *J. Macromol. Chem. Phys.-Rev. Macromol. Chem. Phys.*, 39 (2) , (1999) 205–271.

¹¹⁹ Griffin G. J.L. *Chemistry and Technology of Biodegradable Polymers*, Chapman and Hall, New York, 1994, p. 176.

¹²⁰ Fishman M. L., Coffin D. R., Konstance R. P., Onwulata C. I., Extrusion of pectin/starch blends plasticized with glycerol, *Carbohydr. Polym.*, 41 (2000) 317–325.

¹²¹ Otaigbe J. U., Goel H., Babcock T., Jane J., Processability and properties of biodegradable plastics made from agriculture biopolymers, *J. Elastom. Plast.*, 31 (1999) 56–71.

- ¹²² Fishman M., L. Coffin D., R. Biodegradable films fabricated from mixtures of pectin/starch/plasticizers Patent WO 94/25493 1994
- ¹²³ Matzinos P., Tserki V., Kontoyiannis A., Panayiotou C., Processing and characterization of starch/polycaprolactone products, *Polym. Deg. Stab.*, 77 (2002) 17–24.
- ¹²⁴ Myllymäki O., Myllärinen P., Forssell P., Suortti T., Läteenkorva K., Ahvenainen R., Poutanen K., Mechanical and permeability properties of biodegradable extruded starch/polycaprolactone films, *Package Technol. Sci.*, 11 (1998) 265–274.
- ¹²⁵ Pranamuda H., Tokiwa Y., Tanaka H., Physical properties and biodegradability of blends containing polycaprolactone and tropical starches, *J. Environ. Polym. Deg.*, 4 (1) , (1996) 1–7.
- ¹²⁶ Huang S. J., Koenig M. F., Huang M. Design, synthesis, and properties of biodegradable composites, *Biodegradable Polymers and Packaging*, Ching C., Kaplan D. L., Thomas E. L. Technomic Publication, Basel, 1993, pp. 97–110.
- ¹²⁷ Koenig M. F., Huang S. J., Biodegradable blends and composites of polycaprolactone and starch derivatives, *Polymer*, 36 (9) , (1995) 1877–1882.
- ¹²⁸ Vikman M., Hulleman S. H.D., Van Der Zee M., Myllarinen P., Feil H., Morphology and enzymatic degradation of thermoplastic starch–polycaprolactone blends, *J. Appl. Polym. Sci.*, 74 (1999) 2494–2604.
- ¹²⁹ Narayan R., Krishnan M., Biodegradable composites and blends of starch with poly(ϵ -caprolactone), *Polym. Mater. Sci. Eng.*, 72 (1995) 186–187.
- ¹³⁰ Verhoogt H., St-Pierre N., Truchon F. S., Ramsay B. A., Favis B. D., Ramsay J. A., Blends containing poly(hydroxybutyrate-co-12%-hydroxyvalerate) and thermoplastic starch, *Can. J. Microbiol.*, 41 (1) , (1995) 323–328.
- ¹³¹ Ramsay B. A., Langlade V., Carreau P. J., Ramsay J. A., Biodegradability and mechanical properties of poly(hydroxybutyrate-co-hydroxyvalerate)–starch blends, *Appl. Environ. Microbiol.*, 59 (4) , (1993) 1242–1246.
- ¹³² Avérous L., Fringant C., Association between plasticized starch and polyesters: processing and performances of injected biodegradable systems, *Polym. Eng. Sci.*, 41 (5) , (2001) 727–734.
- ¹³³ Yu L., Christov V., Christie G., Smyth R., Beh H., Dutt U., Gray J., Harvey T., Do M., Halley P., Lonergan G. Mechanical properties and microstructures of PLA/Thermoplastic starch blends, *Macro'98: 37th IUPAC*, 1998, p. 420.
- ¹³⁴ Willemse R. C., Speijer A., Langeraar A. E., Posthuma de Boer A., Tensile moduli of co-continuous polymer blends, *Polymer*, 40 (1999) 6645–6650.
- ¹³⁵ Couchman P. R., Karasz F. E., A classical thermodynamic discussion of the effect of composition on glass-transition temperatures, *Macromolecules*, 11 (1978) 117–119.
- ¹³⁶ Biresaw G., Carriere C. J., Interfacial properties of starch/biodegradable esters blends, *Polymer preprints*, 41 (1) , (2000) 64–65.
- ¹³⁷ Biresaw G., Carriere C. J., Correlation between mechanical adhesion and interfacial properties of starch/biodegradable polyester blends, *J. Polym. Sci.: Part B: Polym. Phys.*, 39 (2001) 920–930.
- ¹³⁸ Avérous L., Dole P., Martin O., Schwach E., Couturier Y., Etudes de mélanges: polyesters biodégradables-Amidon plastifié, 4^{ième} Colloque Franco-Québécois, Nancy, France, July, 5–6, 2001, 2001.
- ¹³⁹ Walia P. S., Lawton J. W., Shogren R. L., Felker F. C., Effect of moisture level on the morphology and melt flow behaviour of thermoplastic starch/poly(hydroxy ester ether) blends, *Polymer*, 41 (2000) 8083–8093.
- ¹⁴⁰ Vikman M., Hulleman S. H.D., Van Der Zee M., Myllarinen P., Feil H., Morphology and enzymatic

degradation of thermoplastic starch–polycaprolactone blends, *J. Appl. Polym. Sci.*, **74** (1999) 2494–2604.

¹⁴¹ Gattin R., Copinet A., Bertrand C., Couturier Y., Biodegradation study of a starch and poly(lactic) co-extruded material in liquid, composting and inert mineral media, *Int. Biodeterioration Biodeg.*, **50** (2002) 25–31.

¹⁴² Koning C., Van Duin M., Pagnouille C., Jerome R., Strategies for compatibilization of polymer blends, *Prog. Polym. Sci.*, **23** (1998) 707–757.

¹⁴³ Mani R., Bhattacharya M., Tang J., Functionalization of polyesters with maleic anhydride by reactive extrusion, *J. Polym. Sci.: Part A: Polym. Chem.*, **37** (1999) 1693–1702.

¹⁴⁴ Mani R., Bhattacharya M., Properties of injection moulded blends of starch and modified biodegradable polyesters, *Eur. Polym. J.*, **37** (2001) 515–526.

¹⁴⁵ Sen A., Battacharya M., Residual stresses and density gradient in injection molded starch/synthetic polymer blends, *Polymer*, **41** (2000) 9177–9190.

¹⁴⁶ Avella M., Errico M. E., Laurienzo P., Martuscelli E., Raimo M., Rimedio R., Preparation and characterization of compatibilised polycaprolactone/starch composites, *Polymer*, **41** (2000) 3875–3881.

¹⁴⁷ Kim C.-H., Cho K. Y., Park J.-K., Effect of poly(acrylic acid)-*g*-PCL microstructure on the mechanical properties of Starch/PCL blend compatibilized with poly(acrylic acid)-*g*-PCL, *Polym. Eng. Sci.*, **41** (3), (2001) 542–553.

¹⁴⁸ Shogren R. L., Complexes of starch with telechelic poly(caprolactone) phosphate, *Carbohydr. Polym.*, **22** (1993) 93–98.

¹⁴⁹ Willett J. L., Kotnis M. A., O'Brien G. S., Fanta G. F., Gordon S. H., Properties of starch-graft-poly(glycidyl methacrylate)–PHBV composites, *J. Appl. Polym. Sci.*, **70** (1998) 1121–1127.

¹⁵⁰ Duquesne E., Rutot D., Degée P., Dubois P., Synthesis and characterization of compatibilized poly(caprolactone)/granular starch composites, *Macromol. Symp.*, **175** (2001) 33–43.

¹⁵¹ Koenig M. F., Huang S. J., Biodegradable polymer/starch blends, composites, and coatings, *Polym. Mater. Sci. Eng.*, **67** (1992) 290–291.

¹⁵² Avella M., Errico M. E., Rimedio R., Sadocco P., Preparation of biodegradable polyesters/high-amylose–starch composites by reactive blending and their characterization, *J. Appl. Polym. Sci.*, **43** (2002) 1432–1442.

¹⁵³ Seppala J., Malin M., Peltonen S., Heikkila E., Vuorenmaa J., Thermoplasticized Starch Component and Process for the Preparation Thereof Patent WO 97/03120 1997

¹⁵⁴ Jun C. L., Reactive blending of biodegradable polymers: PLA and starch, *J. Polym. Environ.*, **8** (1), (2000) 33–37.

¹⁵⁵ Wang H., Sun X., Seib P., Strengthening blends of poly(lactic acid) and starch with methylenediphenyl diisocyanate, *J. Appl. Polym. Sci.*, **82** (2001) 1761–1767.

¹⁵⁶ Wang H., Sun X., Seib P., Mechanical properties of poly(lactic acid) and wheat starch blends with methylenediphenyl diisocyanate, *J. Appl. Polym. Sci.*, **84** (2002) 1257–1262.

¹⁵⁷ Wang H., Sun X., Seib P., Effects of starch moisture on properties of wheat starch/poly (lactic acid) blend containing methylene diphenyl diisocyanate, *J. Polym. Environ.*, **10** (2002) 133–138.

¹⁵⁸ Mani R., Tang J., Bhattacharya M., Synthesis and characterization of starch–graft-polycaprolactone as compatibilizer for starch/polycaprolactone blends, *Macromol. Rapid Commun.*, **19** (1998) 283–286.

¹⁵⁹ Choi E.-J., Kim C.-H., Park J.-K., Structure–property relationship in PCL/starch blend compatibilized with starch-*g*-polycaprolactone copolymer, *J. Polym. Sci.: Part B: Polym. Phys.*, **37** (1999) 2430–2438.

- ¹⁶⁰ Choi E.-J., Kim C.-H., Park J.-K., Synthesis and characterization of starch-*g*-polycaprolactone copolymer, *J. Polym. Sci.*, **32** (1999) 7402–7408.
- ¹⁶¹ Dubois P., Krishnan M., Narayan R., Aliphatic polyester-grafted starch-like polysaccharides by ring-opening polymerisation, *Polymer*, **40** (1999) 3091–3100.
- ¹⁶² Ydens I., Rutot D., Degée P., Six J.-L., Dellacherie E., Dubois P., Controlled synthesis of poly(caprolactone)-grafted dextran copolymers as potential environmentally friendly surfactants, *Macromolecules*, **33** (2000) 6713–6721.
- ¹⁶³ Rutot D., Degée P., Narayan R., Dubois P., Aliphatic polyester-grafted starch composites by in situ ring opening polymerisation, *Composite Interf.*, **7** (3), (2001) 215–225.
- ¹⁶⁴ Bastioli C., Romano G., Scarati M., Toscin M., Biodegradable Starch-Based Articles US Pat. 5,512,378 1996
- ¹⁶⁵ Martin O., Schwach E., Avérous L., Couturier Y., Properties of biodegradable multilayer films based on plasticized wheat starch, *Starch/Starke*, **53** (8), (2001) 372–380.
- ¹⁶⁶ Shogren R., L. Lawton J., W. Enhanced water resistance of starch-based materials US Pat. 5,756,194 1998
- ¹⁶⁷ Lawton J. W. Biodegradable coatings for thermoplastics starch, *Cereals: Novel Uses and Process*, Campbell Plenum Press, New York, 1997, pp. 43–47.
- ¹⁶⁸ Schrenck W. J., Bradley N. L., Alfrey T., Maack H., Interfacial flow instability in multilayer coextrusion, *Polym. Eng. Sci.*, **18** (1978) 620–623.
- ¹⁶⁹ Lee B. L., White J. L., An experimental study of rheological properties of polymer melts in laminar shear flow and of interface deformation and its mechanisms in two-phase stratified flow, *Trans. Soc. Rheol.*, **18** (1974) 467–491.
- ¹⁷⁰ Yih C. S., Instability due to viscosity stratification, *J. Fluid Mech.*, **27** (1967) 337–352.
- ¹⁷¹ Hickox C. E., Instability due to viscosity stratification in axisymmetric pipe flow, *Phys. Fluids*, **14** (1971) 251–262.
- ¹⁷² Schrenk W. J., Alfrey T. Coextruded multilayer films and sheets, *Polymer Blends*, Paul D. R., Newman S. Academic Press, London, 1978, 2 pp. 129–165.
- ¹⁷³ Han C. D., Shetty R., Studies on multilayer film coextrusion. I. The rheology of flat film coextrusion, *Polym. Eng. Sci.*, **16** (1976) 697–705.
- ¹⁷⁴ Han C. D., Shetty R., Studies on multilayer film coextrusion. II. Interfacial instability in flat film coextrusion, *Polym. Eng. Sci.*, **18** (1978) 180–186.
- ¹⁷⁵ Khomani B., Interfacial instability and deformation of two stratified power law fluids in plane poiseuille flow. 1. Stability analysis, *J. Non-Newt. Fluid Mech.*, **36** (1990) 289–303.
- ¹⁷⁶ Khomani B., Interfacial instability and deformation of two stratified power law fluids in plane poiseuille flow. 2. Interface deformation, *J. Non-Newt. Fluid Mech.*, **37** (1990) 19–36.
- ¹⁷⁷ Su Y. Y., Khomani B., Purely elastic interfacial instabilities in superposed flow of polymeric fluids, *Rheol. Acta*, **31** (1992) 413–420.
- ¹⁷⁸ Su Y. Y., Khomani B., Interfacial stability of multilayer viscoelastic fluids in slit and converging channel die geometries, *J. Rheol.*, **36** (1992) 357–387.
- ¹⁷⁹ Wilson G. M., Khomani B., An experimental investigation of interfacial instabilities in multilayer flow of viscoelastic fluids. 1. Incompatible polymer systems, *J. Non-Newt. Fluid Mech.*, **45** (1992) 355–384.
- ¹⁸⁰ Wilson G. M., Khomani B., An experimental investigation of interfacial instabilities in multilayer flow of

- viscoelastic fluids. 2. Elastic and non-linear effects in incompatible polymer systems, *J. Rheol.*, **37** (1993) 315–339.
- ¹⁸¹ Wilson G. M., Khomani B., An experimental investigation of interfacial instabilities in multilayer flow of viscoelastic fluids. 3. Compatible polymer systems, *J. Rheol.*, **37** (1993) 341–354.
- ¹⁸² Wang L., Shogren R. L., Carriere C., Preparation and properties of thermoplastic starch–polyester laminate sheets by coextrusion, *J. Appl. Polym. Sci.*, **40** (2) , (2000) 499–506.
- ¹⁸³ Martin O., Avérous L., Comprehensive experimental study of a starch/polyesteramide coextrusion, *J. Appl. Polym. Sci.*, **86** (10) , (2002) 2586–2600.
- ¹⁸⁴ Avérous L., Fringant C., Moro L., Prudhomme J., C. Starch-Based Multilayer Biodegradable Material and its Fabrication Method French Patent No FR 2791603 2000
- ¹⁸⁵ Avérous L., Fringant C., Martin O. Coextrusion of biodegradable starch-based materials, *Biopolymer Science: Food and Non Food Applications*, Colonna P., Guilbert S. INRA Editions, Paris, 1999, pp. 207–212.
- ¹⁸⁶ Funke U., Bergthaller W., Lindhauer M. G., Processing and characterization of biodegradable products based on starch, *J. Polym. Deg. Stab.*, **59** (1998) 293–296.
- ¹⁸⁷ Avérous L., Fringant C., Moro L., Plasticized starch-cellulose interactions in polysaccharide composites, *Polymer*, **42** (15) , (2001) 6571–6578.
- ¹⁸⁸ Avérous L., Fringant C., Moro L., Starch-based biodegradable materials suitable for thermoforming packaging, *Starch/Starke*, **53** (8) , (2001) 368–371.
- ¹⁸⁹ Avérous L. Interactions between cellulose and plasticized wheat starch. Properties of biodegradable multiphase systems, *Plant Biopolymer Science: Food and Non Food Applications*, Renard D., Della Valle G., Popineau Y. RSC Editions, Cambridge-UK, 2002, pp. 253–259.
- ¹⁹⁰ Curvelo A. A.S., De Carvalho A. J.F., Agnelli J. A.M., Thermoplastic starch-cellulosic fibers composites: preliminary results, *Carbohydr. Polym.*, **45** (2001) 183–188.
- ¹⁹¹ Wollerdorfer M., Bader H., Influence of natural fibers on the mechanical properties of biodegradable polymers, *Indus. Crops Prod.*, **8** (1998) 105–112.
- ¹⁹² Bledzki A. K., Gassan J., Composites reinforced with cellulose based fibers, *Prog. Polym. Sci.*, **24** (1999) 221–274.
- ¹⁹³ Baumberger S., Lapierre C., Monties B., Della Valle G., Use of kraft lignin for starch films; *Polym. Deg. Stab.*, **59** (1998) 273–277.
- ¹⁹⁴ Baumberger S. Starch–lignin films, *Chemical Modifications, Properties, and Usage of Lignin*, Hu T. Q. Kluwer Academic/Plenum Publishers, New York, 2002, pp. 1–19.
- ¹⁹⁵ Boehm G., Bengs H., Biopolymer-Shaped Thermoplastic Mixture for Producing Biodegradable Shaped Bodies Patent US 6,406,530 2002
- ¹⁹⁶ Angles M. N., Dufresne A., Plasticized/tunicin whiskers nanocomposites materials. 1. Structural analysis, *Macromolecules*, **33** (2000) 8344–8353.
- ¹⁹⁷ Angles M. N., Dufresne A., Plasticized/tunicin whiskers nanocomposites materials. 2. Mechanical behaviour, *Macromolecules*, **34** (2000) 2921–2931.
- ¹⁹⁸ Mathew A. P., Dufresne A., Morphological Investigations of nanocomposites from sorbitol elasticised starch and tunicin whiskers, *Biomacromolecules*, **3** (3) , (2002) 609–617.
- ¹⁹⁹ Alexandre M., Dubois P., Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials, *Mat. Sci. Eng.*, **28** (2000) 1–63.
- ²⁰⁰ Lim S. T., Hyun Y. H., Choi H. J., Synthetic biodegradable aliphatic polyester/montmorillonite

nanocomposites, *Chem. Mater.*, **14** (2002) 1839–1844.

²⁰¹ Lepoittevin B., Devalckenaere M., Pantoustier N., Alexandre M., Kubies D., Calberg C., Jerome R., Dubois P., Poly(ϵ -caprolactone)/clay nanocomposites prepared by melt intercalation: mechanical, thermal and rheological properties, *Polymer*, **43** (2002) 4017–4023.

²⁰² Ray S. S., Maiti P., Okamoto M., Yamada K., Ueda K., New polylactide/layered silicate nanocomposites. 1-Preparation, characterization, and properties, *Macromolecules*, **35** (2002) 3104–3110.

²⁰³ Kubier D., Pantoustier N., Dubois P., Rulmont A., Jerome R., Controlled ring-opening polymerization of caprolactone in the presence of layered silicates and formation of nanocomposites, *Macromolecules*, **35** (2002) 3318–3320.

²⁰⁴ Krook M., Albertsson A.-C., Gedde U. W., Hedenqvist M. S., Barrier and mechanical properties of montmorillonite/polyesteramide nanocomposites, *Polym. Eng. Sci.*, **42** (6) , (2002) 1238–1246.

²⁰⁵ Fischer H., R. Fischer S., Biodegradable Thermoplastic Material Patent WO 01/68762 2001

²⁰⁶ McGlashan S., Halley P. J., Preparation and characterisation of biodegradable starch-based nanocomposite materials, *Polym. Int.*, **52** (11) , (2003) 1767–1773.

²⁰⁷ De Carvalho A. J.F., Curvelo A. A.S., Agnelli J. A.M., A first insight of thermoplastic starch and kaolin, *Carbohydr. Polym.*, **45** (2001) 189–194.

²⁰⁸ Karlsson R. R., Albertsson A.-C., The influence of processing conditions on the properties and the degradation of poly(3-hydroxybutyrate-co-3-hydroxyvalerate), *Macromol. Symp.*, **127** (1998) 241–249.

²⁰⁹ Guilbot A., Mercier C. Starch, *The Polysaccharides*, Aspinall G. O. Academic Press, New York, 1985, 3 pp. 210–282.

²¹⁰ Jenkins P. J., Donald A. M., The influence of amylose on starch granule structure, *Int. J. Biol. Macromol.*, **17** (1995) 315–321.