

REFERENCES

1. Narayan, R. Drivers for biodegradable/compostable plastics and role of composting in waste management and sustainable agriculture; Report Paper. *Orbit Journal* **2001**, 1(1), 1-9.
2. Steinbuechel, A. *Biopolymers, Volume 10: General Aspects and Special Applications*. Wiley-VCH: Weinheim (Germany), 2003, 516 pp.
3. Avella, M.; Bonadies, E.; Martuscelli, E.; European current standardization for plastic packaging recoverable through composting and biodegradation. *Polymer testing* **2001**, 20, 517-521.
4. Fritz, J.; Link, U.; Braun, R. Environmental Impacts of biobased/biodegradable Packaging. *Starch* **2001**, 53; 105-109.
5. Karlsson, R.R.; Albertsson, A-C.; Biodegradable polymers and environmental interaction. *Polymer Eng & Sci.* **1998**, 38(8), 1251-1253.
6. Kaplan, D.J.; Mayer, J.M.; Ball, D.; McMassie, J.; Allen, A.L.; Stenhouse, P. Fundamentals of biodegradable polymers. *In Biodegradable polymers and packaging*; Ching, C., Kaplan, D.L., Thomas, E.L.; Eds.; Technomic publication: Basel, 1993, 1-42.
7. Van de Velde, K.; Kiekens, P. Biopolymers: overview of several properties and consequences on their applications. *Polymer Testing.* **2002**, 21, 433-442.
8. Rouilly, A.; Rigal, L. Agro-materials: a bibliographic review. *J. Macromol. Sci.-Part C. Polymer Reviews* **2002**, C42(4), 441-479.
9. Chandra, R.; Rustgi, R. Biodegradable polymers. *Prog Polym Sci* **1998**, 23, 1273-1335.
10. Kaplan, D.L. *Biopolymers from renewable resources*. Springer Verlag: Berlin, 1998, 414 pp.
11. Sotergard, A.; Stolt, M. Properties of lactic acid based polymers and their correlation with composition. *Prog. Polym. Sci.* **2002**, 27, 1123-1163.
12. Okada, M.; Chemical syntheses of biodegradable polymers. *Progress in Polymer Sci.* **2002**, 27, 87-133.
13. Albertsson, A-C.; Varma, I.K. Aliphatic polyesters: Synthesis, Properties and Applications. *Advances in Polymer Science* **2002**, 157, 1-40.
14. Lunt, J. Large-scale production, properties and commercial applications of polylactic acid polymers. *Polym. Deg. Stab.* **1998**, 59, 145-152.
15. Sinclair, R.G. The case for polylactic acid as a commodity packaging plastic. *J. Macromol. Sci., Pure Appl. Chem.* **1996**, 33(5), 585-597.
16. Vert, M.; Schwach, G.; Coudane, J. Present and future of PLA polymers. *J. Macromol. Sci., Pure Appl. Chem.* **1995**, A32, 787-796.
17. Bigg, D.M.. Effect of copolymer ratio on the crystallinity and properties of polylactic acid copolymers. *In Annu. Tech. Conf. - Soc. Plast. Eng.*, 54th (Vol. 2), 2028-2039. 1996.
18. Steinbuechel, A.; Doi Y. *Biopolymers, Volume 4: Polyesters III- Applications and Commercial products*. Wiley-VCH: Weinheim (Germany), 2002, 398 pp.
19. Perego, G.; Cella, G.D.; Bastioli, C. Effect of molecular weight and crystallinity on poly(lactic acid) mechanical properties. *J. Appl. Polym. Sci.* **1996**, 59, 37-43.
20. Cartier, L.; Okihara, T.; Ikada, Y.; Tsuji, H.; Puiggali, J.; Lotz, B. Epitaxial crystallization and crystalline polymorphism of polylactides. *Polymer* **2000**, 41, 8909-8919.
21. Martin, O.; Avérous, L. Poly(lactic acid): plasticization and properties of biodegradable multiphase systems. *Polymer* **2001**, 42(14), 6237-6247.
22. Labrecque, L.V.; Kumar, R.A.; Davé, V.; Gross, R.A.; McCarthy, S.P. Citrate esters as

- plasticizers for poly(lactic acid). *J. Appl. Polym. Sci.* **1997**, 66, 1507-1513.
23. Jacobsen, S.; Fritz, H.G. Plasticizing polylactide – The effect of different plasticizers on the mechanical properties. *Polym. Eng. Sci.* **1999**, 39(7), 1303-1310.
 24. Van Tuil, R.; Fowler, P.; Lawther, M.; Weber C.J. Properties of biobased packaging materials *In Biobased Packaging Materials for the Food Industry: Status and Perspectives*. Weber, C.J., Ed.; Publisher: KVL: Frederiksberg (Denmark) 2000. 136 pp.
 25. Lehermeier, H.J.; Dorgan, J.R.; Way, J.D. Gas permeation properties of poly(lactic acid); *Journal of membrane Science* **2001**, 4922, 1-9.
 26. McCarthy, S.P. Avances in properties and biodegradability of cocontinuous, immiscible, biodegradable, polymer blends. *Macromol Symp.* **1999**, 144, 63-72.
 27. Bastioli, C. Biodegradable materials- Present situation and future perspectives. *Macromol Symp* **1998**, 135:193-204.
 28. Tuominen, J.; Kylma, J.; Kapanen, A.; Venelampi, O.; Itavaara, M.; Seppala, J. Biodegradation of lactic acid based polymers under controlled composting conditions and evaluation of the ecotoxicological impact. *Biomacromolecules* **2002**, 3(3), 445-455.
 29. Holmes, P.A.. Biologically produced (R)-3-hydroxyalkanoate polymers and copolymers, *In Developments in crystalline polymers* (), Ed. Basset, C.D., Elsevier: New York, 1988; Vol. 2, 1-65.
 30. Bastioli, C. Properties and applications of Mater-Bi starch-based materials. *Polym. Deg. Stab.* **1998**, 59, 263-272.
 31. El-Hadi, A.; Schnabel R.; Straube, E.; Muller, G.; Henning, S. Correlation between degree of crystallinity, morphology, glass temperature, mechanical properties and biodegradation of poly(3-hydroxyalkanoate) PHAs and their blends. *Polymer testing* **2002**, 21, 665-674.
 32. Amass, W.; Amass, A.; Tighe, B. A review of biodegradable polymers: uses, current developments in the synthesis and characterization of biodegradable polyesters, blends of biodegradable polymers and recent advances in biodegradation studies. *Polym Int* **1998**; 47, 89-144.
 33. Shogren, R.L. Water vapor permeability of biodegradable polymers. *J. Env. Polym. Deg.* **1997**, 5(2), 91-95.
 34. Kotnis, M.A.; O'Brien, G.S.; Willett J.L. Processing and mechanical properties of biodegradable poly(hydroxybutyrate-co-valerate)/starch compositions. *J. Env. Polym. Deg.* **1995**, 3(2), 97-103.
 35. Shogren, R.L. Poly(ethylene oxide)- coated granular starch-poly(hydroxybutyrate-co-hydroxyvalerate) composite materials. *J. of Environmental Polymer Degradation* **1995**, 3(2), 75-80.
 36. Ramkumar, D.H.S.; Bhattacharia, M. Steady shear and dynamic properties of biodegradable polyesters. *Polym Eng & Sci.* **1998**, 39(9), 1426-1435.
 37. Parikh, M.; Gross, R.A.; McCarthy, S.P. The influence of injection Molding conditions on biodegradable polymers. *J of injection molding techno.* **1998**, 2(1), 30-36
 38. Chiellini, E.; Solaro, R. Biodegradable polymeric materials. *Adv Mater* 1996, 8(4), 305-313.
 39. Bastioli, C.; Cerutti, A.; Guanella, I.; Romano, G.C.; Tosin, M. Physical state and biodegradation behavior of starch-polycaprolactone systems. *J. Env. Polym. Deg.* **1995**, 3(2), 81-95.
 40. Avérous, L.; Moro, L.; Dole, P.; Fringant, C. Properties of thermoplastics blends: starch-polycaprolactone. *Polymer* **2000**, 41(11), 4157-4167.
 41. Koenig, M.F.; Huang, S. J. Evaluation of crosslinked poly(caprolactone) as a biodegradable, hydrophobic coating. *Polym. Deg. and Stab.* **1994**, 45, 139-144.

42. Tokiwa, Y; Suzuki, T. Hydrolysis of polyesters by lipases. *Nature (London)* **1977**, 270(5632), 76-78.
43. Grigat, E.; Koch, R.; Timmermann, R. BAK 1095 and BAK 2195: completely biodegradable synthetic thermoplastics. *Polym. Deg. Stab.* **1998**, 59, 223-226.
44. Fritz, J; Ecotoxicity of Biogenic materials during and after their biodegradation. PhD Thesis; University of Agriculture. Vienna (Austria). 1999.
45. Bruns, C.; Gottschall, R.; De Wilde, B. Ecotoxicological trials with BAK 1095 according to DIN V 54900. *Orbit Journal* **2001**, 1(1), 1-10
46. Lee, S-R.; Park, H-M.; Lim, H.; Kang, T.; Li X.; Cho, W-J.; Ha, C-S. Microstructure, tensile properties, and biodegradability of aliphatic polyester/clay nanocomposites. *Polymer* **2002**, 43, 2495-2500.
47. Muller, R.J.; Witt, U.; Rantze, E.; Deckwer, W.D. Architecture of biodegradable copolyesters containing aromatic constituents. *Polymer Degradation and Stability* **1998**, 59, 203-208.
48. Yokota, Y.; Marechal, H. Processability of biodegradable poly(butylene) succinate and its derivatives. A case study. *In Biopolymer conference*. Wurzburg (Germany). Feb. 24, 1999.
49. Fujimaki, T. Processability and properties of aliphatic polyesters 'Bionolle', synthesized by polycondensation reaction. *Polym. Deg. Stab.* **1998**, 59, 209-214.
50. Ratto, J.A.; Stenhouse, P.J.; Auerbach, M.; Mitchell J.; Farrell R. Processing, performance and biodegradability of a thermoplastic aliphatic polyester/starch system. *Polymer* 1999, 40, 6777-6788.
51. Witt, U.; Einig, T.; Yamamoto, M.; Kleeberg, I.; Deckwer, W.D.; Muller, R.J. Biodegradation of aliphatic-aromatic copolyesters: evaluation of the final biodegradability and ecotoxicological impact of degradation intermediates. *Chemosphere* **2001**, 44 (2): 289-299.
52. Dufresne, A.; Vignon, M.R. Improvement of starch film performances using cellulose microfibrils. *Macromolecules* **1998**, 31, 2693-2396.
53. Dufresne, A.; Dupeyre, D.; Vignon, M.R. Cellulose microfibrils from potato tuber cells: processing and characterization of starch-cellulose microfibril composites. *J. Appl. Polym. Sci.* **2000**, 76, 2080-2092.
54. Pouteau, C.; Dole, P.; Cathala, B.; Avérous, L.; Boquillon, N. Antioxidant properties of lignin in polypropylene. *Polymer Degradation and Stability* **2003**. 81(1), 9-18.
55. French, D. 1984. Organization of starch granules, *In Starch: chemistry and technology*, Whistler, R.L, Bemiller; J.N., Paschall, E.F., Eds.; Academic Press: London, 1984; 183-247.
56. Zobel, H.F. Molecules to granules: a comprehensive starch review. *Starch/Stärke* **1988**, 40(2), 44-50.
57. Gallant, D.J.; Bouchet, B. Ultrastructure of maize starch granules: A review. *Food Microstr.* **1986**, 5, 141-155.
58. Griffin, G.L. Biodegradable fillers in thermoplastics. *Adv. Chem. Res.* **1973**, 134, 159-162.
59. Lacourse, N.; Altieri, P. Biodegradable packaging material and the method of preparation thereof. Patent US 4,863,655. 1989.
60. Russell, P.L. Gelatinisation of starches of different amylose/amylopectin content. A study of differential scanning calorimetry. *J cereal Sci* **1988**, 6, 133-145.
61. Shogren, R.L. Effect of moisture content on the melting and subsequent physical aging of corn starch. *Carbohydr. Polym.* **1992**, 19, 83-90.
62. Poutanen, K.; Forssell, P. Modification of starch properties with plasticizers. *TRIP* **1996**, 4(4), 128-132.

63. Mathew, A.P.; Dufresne, A, Plasticised Waxy Maize Starch: Effect of Polyols and relative Humidity on material Properties. *Biomacromolecules* **2002**, 3(5), 1101-1108.
64. De Bock, I.L.; Bahr, K-H. Starch-based materials. Patent EP 609 983. 1994.
65. Shogren, R.L. Swansom, CL.; Thompson, AR. Extrudates of cornstarch with urea and glycols: Structure/Mechanicals Property Relations. *Starch* **1992**, 44(9), 335-338.
66. Shogren, R.L. Effect of moisture and various plasticizers on the mechanical properties of extruded starch. *In Biodegradable polymers and packaging*; Ching, C., Kaplan, D.L., Thomas, E.L.; Eds.; Technomic publication: Basel, 1993, 141-150.
67. Stein, TM.; Greene, RV. Amino acids as plasticizers for starch-based plastics. *Starch* **1997**, 49(6), 245-249.
68. Dobler, B.; Tomka, I.; Stepto, R.F.T. Process for making destructured starch. Patent EP 282 451. 1988.
69. Tomka, I.; Thoma, M.; Stepto, R.F.T. Shaped articles made from pre-processed starch. Patent EP 304 401. 1989.
70. Stepto, R.F.T.; Tomka, I. Injection molding of natural hydrophilic polymers in the presence of water. *Chimia* **1987**, 41(3),76-81
71. Bastioli, C.; Lombi, R.; Del Tredici, G.; Guanella, I.. A method for the preparation of destructured-starch-based compositions produced thereby. Patent EP 400 531. 1990.
72. Avérous, L.; Fauconnier, N.; Moro, L.; Fringant, C. 2000 Blends of thermoplastic starch and polyesteramide: Processing and properties. *J. of Applied Polymer Science* **2000**, 76(7), 1117-1128.
73. McMaster, T.J.; Senouci, A.; Smith, A.C. Measurement of rheological and ultrasonic properties of food and synthetic polymer melts. *Rheol. Acta* **1987**, 26, 308-315.
74. Parker, R.; Ollett, A.L.; Smith, A.C.. Starch melt rheology: measurements, modelling and application to extrusion processing *In Processing and quality of foods*; Zeuthen, P., Ed.; Elsevier: London, 1990, 1290-1295.
75. Parker, R.; Ollett, A.L.; Lai-Fook, R.A.; Smith, A.C. The rheology of food melts and its application to extrusion processing. *In Rheology of food, pharmaceutical and biological materials*, Carter, R.E., Ed.; Elsevier: London, 1990; 53-69.
76. Padmanabhan, M.; Bhattacharya, M. Flow behavior and exit pressures of corn meal under high-shear-high-temperature extrusion conditions using a slit die. *J. Rheol.* **1991**, 35, 315-343.
77. Martin, O.; Avérous, L.; Della Valle, G. Inline determination of plasticized wheat starch viscous behaviour: Impact of processing. *Carbohydrate Polymer* **2003**, 53(2), 169-182.
78. Davidson, V.J.; Paton, D.; Diosady, L.L. Degradation of wheat starch in a single screw extruder : characteristics of extruded starch polymers. *J. Food Sci.* **1984**, 45, 453-458.
79. Davidson, V.J.; Paton, D.; Diosady, L.L.; Rubin, L.T. A model for mechanical degradation of wheat starch in a single screw extruder. *J. Food Sci* **1984**, 49, 1154-1169.
80. Colonna, P.; Tayeb, J.; Mercier, C. Extrusion-cooking of starch and starchy products, *In Extrusion-cooking*. Mercier, C., Linko, P., Harper, J.M., Eds.; AACC: St. Paul, 1989, 247-320.
81. Barrès, C.; Vergnes, B.; Tayeb, J.; Della Valle, G. Transformation of wheat flour by extrusion cooking: Influence of screw configuration and operating conditions. *Cereal Chem.* **1990**, 67, 427-433.
82. Zheng, X.Z.; Wang, S.W. Shear induced starch conversion during extrusion. *J. Food Sci.* **1994**, 59(5), 1137-1143.
83. Lai, L.S.; Kokini, J.L. The effect of extrusion operating conditions on the on-line apparent viscosity of 98% amylopectin (Amioca) and 70% amylose (Hylon) corn starches during extrusion. *J. Rheol.* **1990**, 34(8), 1245-1266.
84. Della Valle, G.; Boché, Y.; Colonna, P.; Vergnes, B. The extrusion behaviour of potato

- starch. *Carbohydr. Polym.* **1995**, 28, 255-264.
85. Della Valle, G.; Colonna, P.; Patria, A.; Vergnes, B. Influence of amylose content on the viscous behavior of low hydrated molten starches. *J. Rheol.* **1996**, 40(3), 347-362.
 86. Baud, B.; Colonna, P.; Della Valle, G.; Roger, P. Macromolecular degradation of extruded starches measured by HPSEC-MALLS. In *Biopolymer Science: Food and non food applications*. Colonna, P., Guilbert, S., Eds.; INRA Editions: Paris, 1999; 217-221.
 87. Sagar, A.D.; Merrill, E.W. Starch fragmentation during extrusion processing. *Polymer* **1995**, 36(9), 1883-1886.
 88. Martin, O.; Avérous, L.; Della Valle, G.; Couturier, Y. 2000. On-line viscometry of molten plasticized wheat starch. In *Polymer Processing Symposia. PPS-2000*, Zlin (Czech) August 16-18, 2000, 217-218, 2000.
 89. Senouci, A.; Smith, A.C. An experimental study of food melt rheology. I. Shear viscosity using a slit die and a capillary rheometer. *Rheol. Acta* **1988**, 27, 546-554.
 90. Senouci, A.; Smith, A.C. An experimental study of food melt rheology. II. End pressure effects. *Rheol. Acta* **1988**, 27, 649-655.
 91. Bastioli, C.; Bellotti, V.; Rallis, A. Microstructure and melt flow behavior of a starch-based polymer. *Rheol. Acta* **1994**, 33, 307-316.
 92. Bindzus, W.; Fayard, G.; Van Legerich, B.; Meuser, F. Application of an in-line viscometer to determine the shear stress of plasticized wheat starch. *Starch* **2002**, 54, pp 243-251.
 93. Bindzus, W.; Fayard, G.; Van Legerich, B.; Meuser, F.D. Description of extrudate characteristics in relation to the shear stress of elasticised starches determined in line. *Starch* **2002**, 54, 252-259.
 94. Vergnes, B.; Villemaire, J.P. Rheological behaviour of low moisture maize starch. *Rheol. Acta* **1987**, 26, 570-576.
 95. Vergnes, B.; Villemaire J.P.; Colonna, P.; Tayeb, J. Interrelationships between thermomechanical treatment and macromolecular degradation of maize starch in a novel rheometer with preshearing. *J. Cereal Sci.* **1987**, 5, 189-202.
 96. Della Valle, G.; Buléon, A.; Carreau, P.J.; Lavoie, P.-A.; Vergnes B. Relationship between structure and viscoelastic behavior of plasticized starch. *J. Rheol.* **1998**, 42(3), 507-525.
 97. Van Soest, J.J.G.; Hulleman, S.H.D.; De Wit, D.; Vliegthart, J.F.G. Crystallinity in starch bioplastics. *Ind. Crops Prod.* **1996**, 5, 11-22.
 98. Van Soest, J. J. G. Starch plastics structure-property relationships, Ph.D. thesis. Utrecht university (Netherlands), P&L Press, Wageningen, 1996.
 99. Hulleman, S.H.D.; Janssen, F.H.P.; Feil, H. The role of water during plasticization of native starches. *Polymer* **1998**, 39(10), 2043-2048.
 100. Lourdin, D.; Coignard, L.; Bizot, H.; Colonna, P. Influence of equilibrium relative humidity and plasticizer concentration on the water content and glass transition of starch materials. *Polymer* **1997**, 38(21), 5401-5406.
 101. Lourdin, D.; Bizot, H.; Colonna, P. Correlation between static mechanical properties of starch-glycerol materials and low temperature relaxation. *Macromol symp* **1997**, 114, 179-185
 102. Lourdin, D.; Bizot, H.; Colonna, P. Antiplasticization in starch-glycerol films?. *J. Appl. Polym. Sci.* **1997**, 63, 1047-1053.
 103. Van Soest, J. J. G.; Knooren N., Influence of glycerol and water content on the structure and properties of extruded starch plastic sheets during aging. *J. Appl. Polym. Sci.* **1997**, 64, 1411-1422.
 104. Smits, A. The Molecular Organisation in Starch Based Products. The influence of polyols used as plasticizers. Ph.D. thesis. Utrecht University (Netherlands), P&L Press,

- Wageningen, 2001.
105. Lourdin, D.; Colonna, P.; Brownsey, GJ.; Noel, TR.; Ring, S.G. Structural relaxation and physical ageing of starchy materials. *Carbohydrate research* **2002**, 337, 827-833;
 106. Gaudin, S.; Lourdin, D.; Le Botlan, D.; Forsell, P.; Ilari, JL.; Colonna, P. Effect of polymer-plasticizer interactions on the oxygen permeability of starch-sorbitol-water films. *Macromolecular Symposia* **1999**, 138, 245-248.
 107. Gaudin, S.; Lourdin, D. Forsell, P.; Colonna, P. Antiplasticisation and oxygen permeability of starch-sorbitol films. *Carbohydrate Polymers* **2000**, 43, 33-37.
 108. Mullen, J.W.; Pacsu, E, Starch studies: preparation and properties of starch triesters. *Ind Eng Chem* **1942**, 1209-1217.
 109. Mullen, J.W.; Pacsu, E.; Starch studies: possible industrial utilization of starch esters. *Ind Eng Chem* **1943**, 381-384.
 110. Fringant, C.; Desbrières, J.; Rinaudo, M. Physical properties of acetylated starch-based materials: relation with their molecular characteristics. *Polymer* **1996**, 37(13), 2663-2673.
 111. Avérous, L.; Moro, L.; Fringant, C. Properties of plasticized starch acetates. In *ICBT Conference*. Coimbra (Portugal); Sept. 28-30, 1999.
 112. Utracki, L.A. *Polymer alloys and blends: thermodynamics and rheology*. Hanser Ed.: New-York. 1989. 244 pp.
 113. Shonaike, G.O.; Simon, GP. *Polymer blends and alloys*. Marcel Decker Inc.: New York; 1999. 745 pp
 114. Tomka, I. Biodegradable polymer blend composition. Patent EP 596 437. 1994.
 115. Lörcks, J. Properties and applications of compostable starch-based plastic material. *J. Polym. Deg. Stab.* 1998, 59, 245-249.
 116. Griffin, G.J.L. *Chemistry and technology of biodegradable polymers*. Chapman and Hall: New York, 1994, 176 pp.
 117. St-Pierre, N.; Favis, BD.; Ramsay, BA.; Verhoogt, H. Processing and characterization of thermoplastic starch/polyethylene blends. *Polmer* **1997**, 38(3), 647-655.
 118. George, E.R.; Sullivan, T.M.; Park, E.H. Thermoplastic starch blends with a poly(ethylene-co-vinyl alcohol): processability and physical properties. *Polym Eng & Sci* **1994**, 34(1), 17-23 .
 119. Arvanitoyannis, I.S. Totally and partially biodegradable polymer blends based on natural and synthetic macromolecules: preparation, physical properties, and potential as food packaging materials. *J. Macomol. Chem. Phy.-Rev. Macromol. Chem. Phys.* **1999**, 39(2), 205-271.
 120. Griffin, G.J.L. *Chemistry and technology of biodegradable polymers*. Chapman and Hall: New York, 1994, 176 pp.
 121. Fishman, M.L.; Coffin, D.R.; Konstance R.P.; Onwulata, C.I. Extrusion of pectin/starch blends plasticized with glycerol. *Carbohydrate polymer* **2000**, 41, 317-325.
 122. Otaigbe, J.U.; Goel, H.; Babcock, T.; Jane, J; Processability and Properties of biodegradable Plastics made from agriculture Biopolymers. *Journal of elastomers and plastics* **1999**, 31, 56-71
 123. Fishman, M.L.; Coffin, D.R.. Biodegradable films fabricated from mixtures of pectin/starch/plasticizers; patent WO 94/25493. 1994.
 124. Matzinos, P.; Tserki, V.; Kontoyiannis, A.; Panayiotou, C. Processing and characterization of starch/polycaprolactone products. *Polymer Degradation and Stability* **2002**, 77, 17-24.
 125. Myllymäki, O.; Myllärinen, P.; Forssell, P.; Suortti, T.; Läteenkorva, K.; Ahvenaien, R.; Poutanen, K. Mechanical and Permeability Properties of Biodegradable Extruded Starch/polycaprolactone Films. *Packag Technol Sci* **1998**, 11, 265-274.

126. Pranamuda, H.; Tokiwa, Y.; Tanaka, H. Physical properties and biodegradability of blends containing Polycaprolactone and tropical starches *J Env Polym Deg* **1996**; 4(1), 1-7.
127. Huang, S.J.; Koenig, M.F.; Huang, M. Design, synthesis, and properties of biodegradable composites. *In Biodegradable polymers and packaging*; Ching, C., Kaplan, D.L., Thomas, E.L.; Eds.; Technomic publication: Basel, 1993; 97-110.
128. Koenig, M.F.; Huang, S.J. Biodegradable blends and composites of polycaprolactone and starch derivatives. *Polymer* **1995**, 36(9), 1877-1882.
129. Vikman, M.; Hulleman, S.H.D.; Van Der Zee, M.; Myllarinen, P.; Feil, H. Morphology and enzymatic degradation of thermoplastic starch-polycaprolactone blends. *J. Appl. Polym. Sci.* **1999**, 74, 2494-2604.
130. Narayan, R.; Krishnan, M. Biodegradable composites and blends of starch with poly(ϵ -caprolactone). *Polym. Mater. Sci. Eng.* **1995**, 72, 186-187.
131. Verhoogt, H.; St-Pierre, N.; Truchon, F.S.; Ramsay, B.A.; Favis, B.D.; Ramsay, J.A. Blends containing poly(hydroxybutyrate-co-12%-hydroxyvalerate) and thermoplastic starch. *Can J Microbiol* **1995**;41(1):323-328.
132. Ramsay, B.A.; Langlade, V.; Carreau, P.J.; Ramsay J.A. Biodegradability and mechanical properties of poly(hydroxybutyrate-co-hydroxyvalerate)-starch blends. *Appl Env Microbiol* **1993**; 59(4), 1242-1246.
133. Avérous, L.; Fringant, C. Association between plasticized starch and polyesters: processing and performances of injected biodegradable systems. *Polym Eng. Sci.* **2001**, 41(5), 727-734.
134. Yu, L.; Christov, V.; Christie, G.; Smyth, R.; Beh, H.; Dutt, U.; Gray, J.; Harvey, T.; Do, M.; Halley, P.; Lonergan, G.. Mechanical properties and microstructures of PLA/Thermoplastic starch blends. *In Macro'98: 37th IUPAC*, p. 420. 1998.
135. Willemsse, R.C.; Speijer, A.; Langeraar, A.E.; Posthuma de Boer, A. Tensile moduli of co-continuous polymer blends. *Polymer* **1999**, 40, 6645-6650.
136. Couchman, P.R.; Karasz, F.E. A classical thermodynamic discussion of the effect of composition on glass-transition temperatures. *Macromolecules* **1978**, 11, 117-119.
137. Biresaw, G.; Carriere, C.J. Interfacial properties of starch/biodegradable esters blends. *Polymer preprints* **2000**, 41(1), 64-65.
138. Biresaw, G.; Carriere, C.J. Correlation between mechanical adhesion and interfacial properties of starch/biodegradable polyester blends. *J of Polymer Science: Part B: Polymer physics.* **2001**, 39, 920-930.
139. Avérous, L.; Dole, P. ; Martin, O. ; Schwach, E. ; Couturier, Y.); Etudes de mélanges : Polyesters biodégradables-Amidon plastifié. *In 4^{ieme} Colloque Franco-Québécois*, July 5-6, 2001; Nancy (France). 2001.
140. Walia, P.S.; Lawton, J.W.; Shogren, R.L.; Felker, F.C. Effect of moisture level on the morphology and melt flow behaviour of thermoplastic starch/poly(hydroxy ester ether) blends. *Polymer* **2000**, 41, 8083-8093.
141. Vikman, M.; Hulleman, S.H.D.; Van Der Zee, M.; Myllarinen, P.; Feil, H. Morphology and enzymatic degradation of thermoplastic starch-polycaprolactone blends. *J. Appl. Polym. Sci.* **1999**, 74, 2494-2604.
142. Gattin, R.; Copinet, A.; Bertrand, C.; Couturier, Y. Biodegradation study of a starch and poly(lactic) co-extruded material in liquid, composting and inert mineral media. *International Biodeterioration and Biodegradation* **2002**, 50, 25-31.
143. Koning, C.; Van Duin, M.; Pagnoulle, C.; Jerome, R. Strategies for compatibilization of polymer blends. *Prog Polym Sci.* **1998**, 23, 707-757.
144. Mani, R.; Bhattacharya, M.; Tang, J.; Functionalization of polyesters with maleic anhydride by reactive extrusion. *J of Polymer Science: Part A: Polymer chemistry* **1999**,

- 37, 1693-1702
145. Mani, R.; Bhattacharya, M. Properties of injection moulded blends of starch and modified biodegradable polyesters. *European Polymer Journal*. **2001**, 37, 515-526
 146. Sen, A.; Battacharya, M. Residual stresses and density gradient in injection molded starch/synthetic polymer blends. *Polymer* **2000**, 41, pp.9177-9190.
 147. Avella, M.; Errico, M.E.; Laurienzo, P.; Martuscelli, E.; Raimo, M.; Rimedio, R. Preparation and characterization of compatibilised polycaprolactone/starch composites. *Polymer* **2000**, 41, 3875-3881.
 148. Kim, C-H.; Cho, KY.; Park, J-K. Effect of Poly(acrylic acid)-g-PCL Microstructure on the Mechanical Properties of Starch/PCL blend compatibilized with Poly(acrylic acid)-g-PCL. *Polym Eng & Sci*. **2001**, 41(3), 542-553.
 149. Shogren, R.L. Complexes of starch with telechelic poly(caprolactone) phosphate. *Carbohydrate Polymers* **1993**, 22, 93-98.
 150. Willett, J.L.; Kotnis, M.A.; O'Brien, G.S.; Fanta, G.F.; Gordon, S.H. Properties of starch-graft-Poly(glycidyl methacrylate)-PHBV composites. *J of Applied Polymer Sci*. **1998**, 70, 1121-1127.
 151. Duquesne, E.; Rutot, D.; Degée, P.; Dubois, P. Synthesis and characterization of compatibilized Poly(caprolactone)/granular starch composites. *Macromol Symp* **2001**; 175, 33-43.
 152. Koenig, M. F.; Huang, S. J. Biodegradable polymer/starch blends, composites, and coatings. *Polym. Mater. Sci. Eng*. **1992**, 67, 290-291.
 153. Avella, M.; Errico, M.E.; Rimedio, R.; Sadocco, P. Preparation of biodegradable polyesters/high-amylose-starch composites by reactive blending and their characterization. *J. of Applied Polym. Sci*. **2002**, 43, 1432-1442.
 154. Seppala, J.; Malin, M.; Peltonen, S.; Heikkila, E.; Vuorenmaa, J. Thermoplasticized starch component and process for the preparation thereof. Patent WO 97/03120. 1997.
 155. Jun, C.L. Reactive blending of biodegradable polymers: PLA and starch. *J of Polymers and the Environment* **2000**, 8(1), 33-37
 156. Wang, H.; Sun, X, Seib, P. Strengthening blends of poly(lactic acid) and starch with methylenediphenyl diisocyanate. *J of Applied Polymer Science* **2001**, 82, 1761-1767.
 157. Wang, H.; Sun, X, Seib, P. Mechanical properties of poly(lactic acid) and Wheat starch blends with methylenediphenyl diisocyanate. *J of Applied Polymer Science* **2002**, 84, 1257-1262.
 158. Mani, R.; Tang, J.; Bhattacharya, M. Synthesis and characterization of starch-graft-polycaprolactone as compatibilizer for starch/polycaprolactone blends. *Macromol Rapid Commun*. **1998**, 19, 283-286
 159. Choi, E-J.; Kim, C-H.; Park, J-K. Structure-Property Relationship in PCL/Starch blend compatibilized with starch-g-Polycaprolactone copolymer. *J of Polymer Science: Part B: Polymer physics* **1999**, 37, 2430-2438.
 160. Choi, E-J.; Kim, C-H.; Park, J-K. Synthesis and characterization of starch-g-Polycaprolactone copolymer. *J Polym Sci*, **1999**, 32, 7402-7408.
 161. Dubois, P.; Krishnan, M.; Narayan, R. Aliphatic polyester-grafted starch-like polysaccharides by ring-opening polymerisation. *Polymer* **1999**, 40, 3091-3100.
 162. Ydens, I.; Rutot, D.; Degée, P.; Six, J-L.; Dellacherie, E.; Dubois, P. Controlled synthesis of poly(caprolactone)-Grafted Dextran copolymers as potential environmentally friendly surfactants. *Macromolecules* **2000**, 33, 6713-6721.
 163. Rutot, D.; Degée, P.; Narayan, R.; Dubois, P. Aliphatic polyester-grafted starch composites by in situ ring opening polymerisation. *Composite Interfaces* **2001**, 7(3), 215-225.
 164. Bastioli, C.; Romano, G.; Scarati, M.; Toscin, M. Biodegradable starch-based articles:

- U.S. Pat. 5,512,378; 1996.
165. Martin, O.; Schwach, E.; Avérous, L.; Couturier, Y. Properties of Biodegradable Multilayer Films Based on Plasticized Wheat Starch. *Starch/Starke* **2001**, 53(8), 372-380.
 166. Shogren, R.L.; Lawton, J.W. Enhanced water resistance of starch-based materials. U.S. Pat. 5,756,194. 1998
 167. Lawton, J.W. Biodegradable coatings for thermoplastics starch. *In Cereals: Novel uses and process*; Campbell, Ed.; Plenum Press: New York, 1997; 43-47.
 168. Schrenck, W.J.; Bradley, N.L.; Alfrey, T.Jr.; Maack, H. Interfacial flow instability in multilayer coextrusion. *Polym. Eng. Sci.* **1978**, 18, 620-623.
 169. Lee, B.L.; White, J.L. An experimental study of rheological properties of polymer melts in laminar shear flow and of interface deformation and its mechanisms in two-phase stratified flow. *Trans. Soc. Rheol.* **1974**, 18, 467-491.
 170. Yih, C.S. Instability due to viscosity stratification. *J. Fluid Mech.* **1967**, 27, 337-352.
 171. Hickox, C.E. Instability due to viscosity stratification in axisymmetric pipe flow. *Phys. Fluids* **1971**, 14, 251-262
 172. Schrenk, W.J.; Alfrey, T.Jr. Coextruded multilayer films and sheets. *In Polymer blends*; Paul, D.R., Newman, S., Eds.; Academic press: London, 1978; Vol. 2, 129-165.
 173. Han, C.D.; Shetty, R. Studies on multilayer film coextrusion. I. The rheology of flat film coextrusion. *Polym. Eng. Sci.* **1976**, 16, 697-705.
 174. Han, C.D.; Shetty, R. Studies on multilayer film coextrusion. II. Interfacial instability in flat film coextrusion. *Polym. Eng. Sci.* **1978**, 18, 180-186.
 175. Khomani, B. Interfacial instability and deformation of two stratified power law fluids in plane poiseuille flow. 1. Stability analysis. *J. Non-Newt. Fluid Mech.* **1990**, 36, 289-303.
 176. Khomani, B. Interfacial instability and deformation of two stratified power law fluids in plane poiseuille flow. 2. Interface deformation. *J. Non-Newt. Fluid Mech.* **1990**, 37, 19-36.
 177. Su, Y.Y.; Khomani, B. Purely elastic interfacial instabilities in superposed flow of polymeric fluids. *Rheol. Acta* **1992**, 31, 413-420.
 178. Su, Y.Y.; Khomani, B. Interfacial stability of multilayer viscoelastic fluids in slit and converging channel die geometries. *J. Rheol.* **1992**, 36, 357-387.
 179. Wilson, G.M.; Khomani, B. An experimental investigation of interfacial instabilities in multilayer flow of viscoelastic fluids. 1. Incompatible polymer systems. *J. Non-Newt. Fluid Mech.* **1992**, 45, 355-384.
 180. Wilson, G.M.; Khomani, B. An experimental investigation of interfacial instabilities in multilayer flow of viscoelastic fluids. 2. Elastic and non-linear effects in incompatible polymer systems. *J. Rheol.* **1993**, 37, 315-339.
 181. Wilson, G.M.; Khomani, B. An experimental investigation of interfacial instabilities in multilayer flow of viscoelastic fluids. 3. Compatible polymer systems. *J. Rheol.* **1993**, 37, 341-354.
 182. Wang, L.; Shogren, R.L.; Carriere, C. Preparation and properties of thermoplastic Starch-Polyester laminate sheets by coextrusion. *J. Appl. Polym. Sci.* **2000**, 40(2), 499-506
 183. Martin, O.; Avérous, L. Comprehensive experimental study of a starch/Polyesteramide coextrusion. *Journal of Applied Polymer Science* **2002**, 86(10), 2586-2600.
 184. Avérous, L.; Fringant, C.; Moro, L.; Prudhomme, J.C. Starch-based multilayer biodegradable material and its fabrication method. French Patent. N° FR 2791603. 2000
 185. Avérous, L.; Fringant, C.; Martin, O., Coextrusion of biodegradable starch-based materials. *In Biopolymer Science: Food and non food applications.*, Colonna, P.,

- Guilbert, S., Eds.; INRA Editions: Paris, 1999; 207-212.
186. Funke, U.; Bergthaller, W.; Lindhauer, M.G. Processing and characterization of biodegradable products based on starch. *J. Polym. Deg. Stab.* **1998**, *59*, 293-296.
 187. Avérous, L.; Fringant C.; Moro, L. Plasticized starch-cellulose interactions in polysaccharide composites. *Polymer* **2001**, *42*(15), 6571-6578.
 188. Avérous, L.; Fringant, C.; Moro, L. Starch-based biodegradable materials suitable for Thermoforming Packaging. *Starch/Starke* **2001**, *53*(8), 368-371.
 189. Avérous, L. Interactions between cellulose and plasticized wheat starch. – Properties of biodegradable multiphase systems. *In Plant biopolymer Science: Food and non food applications*. Renard, D., Della Valle, G., Popineau, Y., Eds.; RSC Editions: Cambridge-UK, 2002; 253-259.
 190. Curvelo, A.A.S.; De Carvalho, A.J.F.; Agnelli, J.A.M. Thermoplastic starch-cellulosic fibers composites: preliminary results. *Carbohydrate Polymers* **2001**, *45*, 183-188.
 191. Wollerdorfer, M.; Bader, H. Influence of natural fibres on the mechanical properties of biodegradable polymers. *Industrial Crops and Products* **1998**, *8*, 105-112.
 192. Bledzki, A.K.; Gassan, J. Composites reinforced with cellulose based fibres. *Prog. Polym. Sci.* **1999**, *24*, 221-274.
 193. Baumberger, S.; Lapierre, C.; Monties, B.; Della Valle, G. Use of kraft lignin for starch films; *Polymer Degradation and Stability* **1998**, *59*, 273-277.
 194. Baumberger, S. Starch-lignin Films. *In Chemical modifications, properties, and usage of lignin*. Hu, T.Q., Ed.; Kluwer academic/Plenum Publishers: New-York, 2002; 1-19.
 195. Boehm, G.; Bengs, H. 2002. Biopolymer-shaped thermoplastic mixture for producing biodegradable shaped bodies. Patent US 6,406,530. 2002.
 196. Angles, M.N.; Dufresne, A. Plasticized/tunicin Whiskers Nanocomposites Materials. 1. Structural analysis. *Macromolecules* **2000**, *33*, 8344-8353.
 197. Angles, M.N.; Dufresne, A. Plasticized/tunicin Whiskers Nanocomposites Materials. 2. Mechanical Behaviour. *Macromolecules* **2000**, *34*, 2921-2931.
 198. Mathew, A.P.; Dufresne, A. Morphological Investigations of nanocomposites from sorbitol elasticised starch and tunicin whiskers. *Biomacromolecules* **2002**, *3*(3), 609-617.
 199. Alexandre, M.; Dubois, P. Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials. *Mat Sci and Eng.* **2000**, *28*, 1-63.
 200. Lim, S.T.; Hyun, Y.H.; Choi, H.J. Synthetic biodegradable aliphatic polyester/Montmorillonite Nanocomposites. *Chem. Mater.* **2002**, *14*, 1839-1844.
 201. Lepoittevin, B.; Devalckenaere, M.; Pantoustier, N.; Alexandre, M.; Kubies, D.; Calberg, C.; Jerome, R.; Dubois, P. Poly(ϵ -caprolactone)/clay nanocomposites prepared by melt intercalation: mechanical, thermal and rheological properties. *Polymer* **2002**, *43*, 4017-4023.
 202. Ray, S.S.; Maiti, P.; Okamoto, M.; Yamada, K.; Ueda, K. New Polylactide/layered silicate nanocomposites. 1-Preparation, characterization, and Properties. *Macromolecules* **2002**, *35*, 3104-3110.
 203. Kubies, D.; Pantoustier, N.; Dubois, P.; Rulmont, A.; Jerome, R. Controlled Ring-Opening Polymerization of caprolactone in the presence of layered silicates and formation of nanocomposites. *Macromolecules* **2002**, *35*, 3318-3320.
 204. Krook, M.; Albertsson, A-C.; Gedde, U.W.; Hedenqvist, M.S. Barrier and Mechanical properties of Montmorillonite/polyesteramide nanocomposites. *Polym Eng & Sci* **2002**, *42*(6), 1238-1246.
 205. Fischer, H.R.; Fischer, S. Biodegradable thermoplastic material. Patent WO 01/68762. 2001
 206. McGlashan, S.; Halley, P.J. Preparation and characterisation of biodegradable starch-

- based nanocomposite materials. *Polym Inter* **2003**, 52(11), 1767-1773
207. De Carvalho, A.J.F.; Curvelo, A.A.S.; Agnelli, J.A.M. A first insight of thermoplastic starch and kaolin. *Carbohydrate Polymers* **2001**, 45, 189-194.
 208. Karlsson, R.R.; Albertsson, A-C. The influence of processing conditions on the properties and the degradation of poly(3-hydroxybutyrate-co-3-hydroxyvalerate). *Macromol. Symp.* **1998**, 127, 241-249.
 209. Guilbot, A.; Mercier, C.. Starch, *In The Polysaccharides*; Aspinal, G.O., Ed. Academic Press: New York, 1985; Vol. 3, 210-282.
 210. Jenkins, P.J.; Donald, A.M. The influence of amylose on starch granule structure. *Int. J. Biol. Macromol.* **1995**, 17, 315-321.

<http://www.biodeg.net>

<http://www.biodeg.et/biomaterial.html>

Pr. Luc Avérous – June 2007 - © -